

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Bayco Products, Inc.

Manufacturer: Ningbo Far East Lighting Co., Ltd.

Address: 640 South Sanden Boulevard
Wylie, TX 75098

Address: Longshan Town, Cixi City
Ningbo City
ZJHZ 315331

Country: USA

Country: China

Contact: Jim Conner

Contact: Judy Huang

Phone: 469-326-9452

Phone: 0086-574-63739017

FAX: 469-326-9402

FAX: 0086-574-63739015

Email: jconner@baycoproducts.com

Email: fe2@fareastlamp.com

Party Authorized To Apply Mark: Same as Manufacturer

Report Issuing Office: Dallas, TX

Control Number: 4002026

Authorized by: _____

Lluvia Medina

for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

| | |
|---------------------|---|
| Standard(s): | Intrinsically Safe Apparatus and Associated Apparatus for Use in Class I, II, and III, Division 1, Hazardous (Classified) Locations>Valid without technical revision: 03Sep2019< [UL 913:1997 Ed.5] |
| Product: | Portable LED Flashlight and/or Floodlight For Use In: Class I, Division 1, Groups A, B, C & D; Class II, Division 1, Groups E, F & G; Class III; Class I, Zone 0, Group IIC Temperature Code: T3 Ambient Temperature Range: -20 °C to +40 °C |
| Brand Name: | Nightstick |

| | |
|----------------|--|
| Models: | XPP-5420 may be followed by B or G or GX. XPP-5422 may be followed by B or G or GX or GM or GMX or GXL. |
|----------------|--|

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

| | | | |
|--|---|-----------------------|--|
| Applicant: | Bayco Products, Inc. | Manufacturer: | Longkou Dongli Wire and Cable Co., Ltd. |
| Address: | 640 South Sanden Boulevard Wylie, TX 75098 | Address: | 413 Beihuan Road, Huangcheng, Longkou Shandong 265701 |
| Country: | USA | Country: | China |
| Contact: | Jim Conner | Contact: | Daniel |
| Phone: | 469-326-9452 | Phone: | 0535-3126900 / 15306382326 |
| FAX: | 469-326-9402 | FAX: | 0535-8526169 |
| Email: | jconner@baycoproducts.com | Email: | daniel@dongfang-china.com |
| Party Authorized To Apply Mark: | Same as Manufacturer | | |
| Report Issuing Office: | Dallas, TX | | |
| Control Number: | <u>4003544</u> | Authorized by: | <u>Shuvia Medina</u> for L. Matthew Snyder, Certification Manager |



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

| | |
|---------------------|---|
| Standard(s): | Intrinsically Safe Apparatus and Associated Apparatus for Use in Class I, II, and III, Division 1, Hazardous (Classified) Locations>Valid without technical revision: 03Sep2019< [UL 913:1997 Ed.5] |
| Product: | Portable LED Flashlight and/or Floodlight For Use In: Class I, Division 1, Groups A, B, C & D; Class II, Division 1, Groups E, F & G; Class III; Class I, Zone 0, Group IIC Temperature Code: T3 Ambient Temperature Range: -20 °C to +40 °C |
| Brand Name: | Nightstick |

| | |
|----------------|--|
| Models: | XPP-5420 may be followed by B or G or GX. XPP-5422 may be followed by B or G or GX or GM or GMX or GXL. |
|----------------|--|