



# Declaration of Conformity

This certificate is issued for electrical apparatus BA314G, BA334G, BA364G, BA374G, BA384G and accessories.

## Description

BA314G intrinsically safe, field mounting Tachometer  
BA334G one input, intrinsically safe, field mounting Rate Totaliser  
BA364G two input, intrinsically safe, field mounting Counter  
BA374G two input, intrinsically safe, field mounting Timer or Clock  
BA384G two input, intrinsically safe, field mounting Rate Totaliser.

## Manufactured by

BEKA associates Ltd, Old Charlton Road, Hitchin, Herts. UK. SG5 2DA

## Council Directives this equipment complies with:

### 2014/34/EU (ATEX Directive)

Relating to equipment and protective systems intended for use in potentially explosive atmospheres.

### Provisions of the Directive fulfilled by the equipment:



Group II Category 1G Ex ia IIC T5 Ga

-40°C ≤ Ta ≤ +70°C

Group II Category 1D Ex ia IIIC T80°C Da

-40°C ≤ Ta ≤ +60°C

## Notified Body for EC-Type Examination and production

Intertek Testing & Certification Ltd 0359 Leatherhead UK

## EC-Type Examination Certificate

ITS16ATEX28408X issue 3 dated 25/11/2016

## Standards used:

EN 60079-0:2012 + A11:2013 and EN 60079-11:2012

*Remains compliant with EN IEC 60079-0:2018*

## 2014/30/EU (EMC Directive)

### Standards used:

BS EN 61326-1:2013

2011/65/EU (RoHS Directive) relating to hazardous substances in electronic and electrical equipment.

 mark first affixed in 2017

## Authorised Signatory:

Olivier Lebreton CEng MIET  
Managing Director

Issue 1

Issue 2

Issue 3

1<sup>st</sup> Feb 2017

13<sup>th</sup> Sept 2017

1<sup>st</sup> July 2020

**BEKA associates Ltd. Old Charlton Road, Hitchin, SG5 2DA UK**

Telephone +44 (0) 1462 438301 Fax +44 (0) 1462 453971

e-mail [sales@beka.co.uk](mailto:sales@beka.co.uk) [www.beka.co.uk](http://www.beka.co.uk)